PROMO

Benelux edition 2019

Proxylab

PROMOTIONS ON MORE THAN 200 HIGH QUALITY PRODUCTS

1-4. Cryogenics
5-6. Ibidi cell culture and microscopy
7-9. Magnetic stirrers, Vortex and Shakers
9. Waterbath
10. Balances
11. Centrifuges
11-12. Electrophoresis and UV apparatus
13. Autoclaves and burners
14. pH meters and calibration
15-16. Pipetting and liquid handling

µCryo™

High quality cardboard cryoboxes made in Belgium.



DESCRIPTION	DIMENSIONS	REF	€
Cardboard cryobox (1)	130x130x50 mm	PL1	**2,07**
Cardboard cryobox (1)	130x130x75 mm	PL2	**2,34**
Cardboard cryobox (1)	130x130x90 mm	PL7	**2,88**

DESCRIPTION	REF	€
Dividers 10x10, microtubes max diam. 12 mm (2)	PL3	**1,49**
Dividers 9x9, microtubes max diam. 13 mm (2)	PL4	**1,46**
Dividers 8x8, microtubes max diam. 14 mm (2)	PL5	**1,39**
Dividers 7x7, microtubes max diam. 16 mm (2)	PL6	**1,39**

PROMO 2,40 €/ box

PL14C Eco-pack of 50 cardboard cryoboxes 130x130x50mm with 9x9 divider for 1,5/2 ml tubes (max diam.13 mm)

Promo price: 120,00 €uros or 2,40 €uros/box !

BL1110 Cardboard cryobox for Falcon 15 ml centrifuge tube, 6x6 places
Promo price: 3,75 €uros

BL1111 Cardboard cryobox for Falcon 50 ml centrifuge tube, 4x4 places
Promo price: 3,75 €uros

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

2 A PP box for all kind of tubes!



PB50SP eco-pack of 50 Polypropylene cryoboxes for 81 1,5/2ml tubes 5 assorted fluo colors with alphanumerical coding

Promo price: 157,05 €uros or 3,14 €uros/box!

PROMO 3,14 €/ box

Polypropylene boxes for 196 0,2 ml PCR® tubes 5 colors (dim. 130x130x30 mm)

B30 (natural, blue, green, red or yellow) **Price 6,77 €uros**

Polypropylene boxes for 100 0,5 ml tubes 5 colors (dim. 130x130x50 mm)

B51 (natural, blue, green, red or yellow) **Price 6,26 €uros**

Polypropylene boxes for 25 Falcon® 15 ml 5 colors (dim. 130x130x 125 mm)

B25 (natural, blue, green, red or yellow) **Price 10,71 €uros**

Polypropylene Boxes for 10 Falcon® 50 ml tubes 5 colors (dim. 130x130x 125 mm)

B20 (natural, blue, green, red or yellow) **Price 10,32 €uros**

Cryolabels for cryotubes.

-90°C to +100°C

BP1310 Pink labels 20x6 mm, rol of 1000 labels **Price 24,57 €**
BP1312 Yellow labels 32x13 mm, rol of 1000 labels **Price 24,57 €**
RTP/100T White Labels for LASER printers 33x13 mm (1980 labels) or
RTP/101T Idem 25x13 mm (2016 labels) **Price 38,51 €uros**

Cryo-gloves EN511: X22

CE

BP1360 Mid sized cryo-gloves, for women, lenght 360 mm
Promo price: 130,00 €uros

BP1380 Mid sized cryo-gloves, for men, , lenght 380 mm
Promo price: 130,00 €uros

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

PROMO

µCryo™

Stainless steel racks for chest freezers

E509 Stainless steel rack for 9 boxes 5 cm H Dim. 140x140x500 mm **Promo price: 67,17 €**
E510 Stainless steel rack for 10 boxes 5 cm H Dim. 140x140x550 mm **Promo price: 68,91 €**
E511 Stainless steel rack for 11 boxes 5 cm H dim. 140x140x610 mm **Promo price: 69,50 €**
E512 Stainless steel rack for 12 boxes 5 cm H dim. 140x140x665 mm **Promo price: 75,35 €**

E708 Stainless steel rack for 8 boxes 7,5 cm H dim. 140x140x645 mm **Promo price: 67,17 €**

E906 Stainless steel rack for 9 boxes 9,5 cm H dim. 140x140x600 mm **Promo price: 87,02 €**

OTHER SIZES ON REQUEST

LN2 cryostorage BIORACK series

STATEBOURNE cryogenics

- Delivered complete incl. cover, racks and boxes
- 4 models, from 750 to 6000 cryovials (2 ml) capacity
- Long static holding time up to 254 days
- Rolling base and low LN2 alarm level as an option

BIORACK750 complete 35 litres/ 750 samples **Net price: 2.300,00 €**
BIORACK3000 complete 85 litres/ 3000 samples **Net price: 3.400,00 €**
BIORACK4800 complete 130 litres/4800 samples **Net price: 4.200,00 €**
BIORACK6000 complete 160 litres/6000 samples **Net price: 4.450,00 €**
ROLLER BASE Rolling base **Net price: 450,00 €**
CRYOGUARD Low level alarm on battery **Net price: 780,00 €**
CRYOGUARD low LN2 level alarm on battery power **Net price: 780,00 €**

CRYOLAB series high performance aluminium dewars for LN2 storage

- High thermal efficiency
- 2 litres to 50 litres capacity
- Long static holding time up to 130 days
- Strong and lightweight

CRYOLAB5 Volume 5 litres **Net price: 555,00 €**
CRYOLAB10 Volume 10 litres **Net price: 590,00 €**
CRYOLAB20 Volume 20 litres **Net price: 800,00 €**
CRYOLAB35 Volume 35 litres **Net price: 4.450,00 €**
ROLLER BASE Rolling base(20/35) **Net price: 325,00 €**

CRYOLAB25 LN2 25 litres transport and storage dewar including unique pouring trolley **Net price 1.100,00 €**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

PC Freezer Boxes for storage in LN2

- Made of tough polycarbonate; chemically resistant to alcohols and mild organic solvents
- Can be repeatedly frozen and thawed
- Compatible with 1.5ml or 2.0ml microtubes and cryogenic vials
- Boxes feature numbered grids for sample identification
- Drain holes and air vents minimize condensation
- Five assorted colors available
- Suitable for storage in mechanical freezers or **liquid nitrogen**
- **Temperature range: stable from -196°C to 121°C**

BL1022 PC freezer boxes for 1,5/ 2 ml microtubes or cryogenic vials (5 pcs assorted colors)
Promo price: 35,82 €

EPPI sterile cryotubes for storage in LN2

- Manufactured in accordance with ISO 13485, ISO 9001, ISO 14001
- Produced to GMP guidelines in a cleanroom
- Produced from FDA approved polypropylene with usable range from –196°C to +121°C
- Not cytotoxic according to ISO 10993-5
- RNase-DNase free; Heavy metal free; DNA-ATP-BSE/TPE-Pyrogen free
- Sterilized to ISO 11137-2:2013
- 17000 g centrifugable

Leak proof due to lip seal cap design, Cap and tube made of high quality PP, self-standind with star foot, graduation and writing area, color inserts also available

Capacity	Height	Packing unit	Reference	Promo price
0,5 ml	28,5 mm	10x100	EPPI0	208,00 €
1,0 ml	36,1 mm	10x100	EPPI1	208,00 €
2,0 ml	47,6 mm	10x100	EPPI2	208,00 €
4,0 ml	73,2 mm	5x100	EPPI4	115,00 €
5,0 ml	88,5 mm	5x100	EPPI5	115,00 €

-20 °C Freezers

LIEBHERR

RR3010 Standard freezer 70l/ 2 drawers **Net price: 463,00 €**
RR3021 Standard freezer 101l/ 3 drawers (1) **Net price: 435,00 €**
RR3030 Standard freezer 106l/ 4 drawers **Net price: 512,00 €**
RR3041 Standard freezer 162l/ 5 drawers **Net price: 706,00 €**
RR3051 Standard freezer 197l/ 6 drawers **Net price: 717,00 €**
RR3061 Standard freezer 232l/ 7 drawers (2) **Net price: 849,00 €**
RR3080 Standard freezer 520l/ 2x7 drawers **Net price: 1.610,00 €**

Price ex VAT

ibidi
cells in focus

AN OPEN µ-SLIDE (CHAMBERED COVERSLIP) WITH 8 WELLS FOR USE IN IMMUNOFLUORESCENCE AND HIGH-END MICROSCOPY

- The all-in-one chamber slide reduces the number of experimental steps in immunofluorescence protocols
- Observation of the sample through the coverslip-like bottom using high resolution microscopy
- Fast and easy sample preparation: No coverslips, no leakage
- Cost-effective experiments using small numbers of cells and low volumes of reagents

80826 µ-slide 8 well ibiTreat: #1.5 polymer coverslip, tissue culture treated, sterilized (15 pcs) **Price ex VAT: 100,00 €**

A 35 MM IMAGING DISH WITH AN IBIDI POLYMER COVERSLIP BOTTOM, USED IN HIGH END MICROSCOPY AND CELL-BASED ASSAYS

- High walls with a standard height for easy handling
- Unique ibidi Polymer Coverslip combining
- Excellent cell culture conditions and
- Supreme optical quality for high resolution microscopy
- Ideal cell growth conditions provided by the ibiTreat surface
- Lid with lock position, which minimizes evaporation
- Suitable for DIC, when used with the special DIC Lid
- Also available with a grid for cell location and counting

81156 µ-Dish 35 mm, high ibiTreat: Ø 35 mm, high wall (2 ml volume), # 1.5 polymer coverslip, tissue culture treated, sterilized (60 pcs) **Price ex VAT: 170,00 €**



A 6 CHANNEL µ-SLIDE SUITABLE FOR FLOW EXPERIMENTS AND FOR IMMUNOFLUORESCENCE ASSAYS

- All-in-one chamber that simplifies immunofluorescence protocols
- Homogeneous cell distribution over the channel surface, regardless of handling practices
- Cost-effective experiments with small numbers of cells and low volumes of reagents

80606 µ-slide VI 0.4 ibiTreat: #1.5 polymer coverslip, tissue culture treated, sterilized (15 pcs) **Price ex VAT: 165,00 €**

BULK PRICE

2 WELL SILICONE INSERT WITH A DEFINED CELL-FREE GAP, SUITABLE FOR WOUND HEALING, MIGRATION ASSAYS, 2D INVASION ASSAYS, AND CO-CULTIVATION OF CELLS

- Complete solution for wound healing experiments, requiring only a few steps from sample preparation to image analysis
- Reproducible experiments owing to: a defined 500 µm cell free gap, no leakage during cultivation, and no material being left behind after the insert's removal
- 25 pieces in a transport dish
- Used for self-insertion into 6 or 12 well plates, or other formats

80209 25 Culture-inserts 2 Well for self-insertion: in a 10 cm transport dish, sterilized **Price ex VAT: 110,00 €**

STOCK UP YOU LAB!

Save money with the NEW ibidi bulk packs

Cat. No.	Description	Pcs./Box	PROMO Price
80826-90	**µ-Slide 8 Well ibiTreat:** #1.5 polymer coverslip, tissue culture treated, sterilized	90	**486,00 €**
80827-90	**µ-Slide 8 Well Glass Bottom:** # 1.5H (170 µm +/- 5 µm) D 263 M Schott glass, sterilized	90	**810,00 €**
80606-90	**µ-Slide VI $^{0.4}$ ibiTreat:** #1.5 polymer coverslip, tissue culture treated, sterilized	90	**783,00 €**
81156-400	**µ-Dish$^{35\ mm,\ high}$ ibiTreat:** Ø 35 mm, high wall (2 ml volume), #1.5 polymer coverslip, tissue culture treated, sterilized	400	**891,00 €**
81158-400	**µ-Dish $^{35\ mm,\ high}$ Glass Bottom:** Ø 35 mm, high wall (2 ml volume), # 1.5H (170 µm +/- 5 µm) D 263 M Schott glass, sterilized	400	**981,00 €**
80209-150	**25 Culture-Inserts 2 Well for self-insertion:** in a 10 cm transport dish, sterilized	6x25	**513,00 €**

Price ex VAT

FLATSPIN extra-flat

max. capacity 800 ml

Key Features

- A wide range of speed from 15 to 1500rpm
- Automatic reverse rotation for excellent mixing
- Protection class (IP65)
- PET top provides excellent chemical resistance

capacity	800 ml	
Surf. dim	90x90 mm	
Speed	15-1500 RPM	
Protection	IP65	
Dim./ Weight	175x120xh15 mm/ 300 g	
Power	100-240V, 50-60 Hz	
Stirrer	**AG102**	**161,00 €**

ECOSTIR economical magnetic stirrer with electrode holder

max. capacity 1,5 litre

Key Features

- Maintenance freebrushless DC motor
- Rare earth magnets give powerful stirring
- Stepless speed regulation 300-2000rpm
- Ultra silence and vibration-free design.
- PET top provides excellent chemical resistance
- Shaft can be fitted with a PH sensor or sensors for other purposes

PROMO 59,00 €

capacity	1,5 litres	
Surf. dim	Diam. 120 mm	
Speed	300-2000 RPM	
Protection	IP21	
Dim./ Weight	150x145x50 mm/ 300 g	
Power	100-240V, 50-60 Hz	
Stirrer	**AG50**	**59,00 €**

MS-H-S Standard hotplate stirrer

PROMO 266,00 €

Key Features

- Maintenance free brushless DC motor
- Max. temperature to 340°C
- Stirring speed up to 1500 rpm
- Stainless steel work plate with ceramic coating provides good chemical-resistant performance
- Safety circuits provide overheating protection

capacity	20 liters	
Surf. dim	Diam. 135 mm	
Speed	0-1500 RPM	
Heating output	500 W	
Protection	IP42	
Dim./Weight	160x280xh85 mm/ 2,8 kg	
Power	100-240V, 50-60 Hz	
Stirrer	**AG601**	**266,00 €**

MS-H-PRO+ Digital hotplate stirrer incl. Pt1000 sensor

max. capacity 20 litres

max.temp. +340°C

Key Features

- Brushless DC motor is maintenance free and explosion-proof
- Digital temperature control with max. temperature at 340°C
- Digital speed control with max. speed up to 1500rpm
- Max. stirring quantity of H2O at 20L
- Safety circuits provide overheating protection
- The "HOT" warning will flash if the plate temperature is above 50°C even when the hotplate is turned off
- High-resolution LCD display shows actual temperatures and speed
- External temperature control is possible by connecting the temperature sensor(PT 1000) with accuracy at ±0.2°C
- Stainless steel work plate with ceramic coating provides good chemical-resistant performance
- Remote function provides PC control and data transmission

capacity	20 liters	
Surf. dim	Diam. 135 mm	
Speed	100-1500 RPM	
Heating output	500 W	
Protection	IP42	
Dim./Weight	160x280xh85 mm/ 2,8 kg	
Power	100-240V, 50-60 Hz	
Stirrer	**AG801**	**445,00 €**
Pt1000 support clamp	**AG817**	**45,00 €**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

ROTATOR variable speed

Key Features

- Provides gentle but effective rolling
- Adjustable speed range from 0 to 80 rpm

Delivered with 36 clamps
12 clamps for 1,5 ml tubes
12 clamps for 15 ml tubes
12 clamps for 50 ml tubes

Speed	0-80 RPM
Protection	IP21
Dim./ Weight	200x300xh310 mm/ 2 kg
Power	100-240V, 50-60 Hz
Mixer	**ROX110 430,00 €**

VORTEX shaker

support / inserts	reference	Price
top plate Ø100	VTX510 [1]	21,00 €
8 tubes 20 mm	VTX515 [2]	13,00 €
8 tubes 16 mm	VTX514 [3]	13,00 €
12 tubes 12 mm	VTX513	13,00 €
18 tubes 10 mm	VTX512 [4]	13,00 €
48 µtubes PCR	VTX511 [5]	20,00 €
pad Ø100 mm	VTX516 [6]	7,00 €

Key Features

- Touch operation or continuous mode
- Variable speed control from 0 to 2500rpm
- Used for various mixing applications with optional adapters
- Specially designed vacuum suction feet for body stablility
- Robust aluminum-cast construction

Speed	0-2500 RPM
Weight	3,5 kg
Orb. Diam.	4 mm
Protection	IP21
Dim.	127x130xh160 mm
Power	100-240V, 50-60 Hz
Vortex	**VTX500 150,00 €**

Rocking and rolling **TUBE ROLLER**

Key Features

- Speed range of 10-70rpm
- Six roller design for gentle rolling and easy to clean

Speed	10-70 RPM
Roller lenght	340 mm
Amplitude	24 mm
Protection	IP21
Dim./ Weight	260x530xh120 mm / 5 kg
Power	100-240V, 50-60 Hz
Roller	**ROL610 355,00 €**

MICROPLATE mixer including microplate clamp

PROMO 265,00 €

Key Features

- A wide range of speed from 0 to 1500rpm
- Used for various mixing applications with optional adapters
- Maintenance-free brushless DC motor

Speed	0-3000 RPM
Weight	3 kg
Orb. Diam.	4,5 mm
Protection	IP21
Dim.	127x130xh160 mm
Power	100-240V, 50-60 Hz
Mixer	**MX200 265,00 €**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

ORBITAL shaker **including universal platform** with 4 fixation rods

PROMO 1.130,00 €

Key Features

- Max. load capacity is 7.5kg with platform
- Double LCDs for independent display of time and speed
- Wide range of platforms for use with a variety of vessels
- Maintenance- free brushless DC motor
- Over speed detection and protection

Speed	100-350 RPM
Amplitude	10 mm
Max load capacity	7,5 kg
Protection	IP21
Dim./ Weight	370x420xh100 mm / 13,5 kg
Power	100-240V, 50-60 Hz
Orbital shaker	**MX650 1.130,00 €**

Mini-Rocking shaker

Key Features

- Two-dimensional rocking motion with the angle of 7°
- Max. load capacity is 1 kg
- Speed range of 5-30 Osc./min.

Speed	5-30 Osc./min
Tilt angle	7°
Max load capacity	1 kg
Platform size	200x200 mm
Dim./ Weight	220x205xh120 mm / 2,1 kg
Power	230V, 50 Hz
2D Shaker	**MX1110 499,00 €**

PolyScience® Temperature Control Solutions

Waterbath

KEY FEATURES

- Displays actual and set point temperature simultaneously
- Three push-button pre-sets for frequently used temperatures
- Integrated timer
- Hinged gable cover
- Calibration capability (1 point)
- Reservoir made of 304 Stainless Steel
- Reservoir drain (10 to 28 L)
- Primary and automatic safety thermostats
- Also compatible with waterless bath beads

REA-STABIL

- Disinfectant agent for waterbath
- Prevent from bacterial or fungal proliferation
- **Water colored in blue** when agent is active
- Biodegradable and non toxic
- Cost effective: 1 ml per liter

REA-STABIL Disinfectant agent 200 ml **price 59,00 €uros**

Volume	5 Liters	10 Liters	20 Liters	28 Liters
Temperature	Ambient+5°C-+ 99°C	Ambient+5°C-+ 99°C	Ambient+5°C-+ 99°C	Ambient+5°C-+ 99°C
Homogeneity	+/-0,2°C	+/-0,2°C	+/-0,2°C	+/-0,2°C
Reservoir drain	No	Yes	Yes	Yes
Int. Dim.	127x274xp152 mm	269x295xp152 mm	241x432xp152 mm	241x432xp203 mm
Ext. Dim./ Weight	368x305xh267 mm /6 kg	393x432xh305 mm/10 kg	572x445xh305 mm/11 kg	415x546xh358 mm/13 kg
Power	360W	1000W	1400W	1400W
Waterbath	**BM1305 677,00 €**	**BM1310 805,50 €**	**BM1320 958,00 €**	**BM1328 1.078,00 €**

L series balances*

PROMO -15%

Type A : 1 mg
Ø 110 mm Stainless Steel pan

Type B : 10 mg
Ø 160 mm Stainless Steel pan

Type C : 100 mg
195x175 mm Rectangular pan

Capacity	Resolution	Linearity	Promo Price External Calibration		Promo Price Internal Calibration	
Balance with 1 mg resolution—Type A						
160 g	0,6 mg	± 3 mg	**LB0160**	**423,30 €**	**LB0161**	**508,30 €**
210 g	0,6 mg	± 3 mg	**LB0210**	**556,75 €**	**LB0211**	**593,30 €**
310 g	0,6 mg	± 3 mg	**LB0310**	**593,30 €**	**LB0311**	**651,95 €**
150/300 g (10 mg)	0,6 mg	± 2 mg	**LB0300**	**467,00 €**	**LB0301**	**556,75 €**
Balance with 10 mg resolution—Type B						
1000 g	5 mg	± 20 mg	**LB9007**	**417,35 €**	**LB9307**	**522,75 €**
1500 g	5 mg	± 20 mg	**LB2050**	**466,65 €**	**LB9050**	**558,45 €**
2200 g	5 mg	± 20 mg	**LB2100**	**581,40 €**	**LB9321**	**678,30 €**
3100 g	5 mg	± 20 mg	**LB3000**	**641,75 €**	**LB9330**	**746,30 €**
Balance with 100 mg resolution—Type C						
4500 g	50 mg	± 100 mg	**LB4501**	**467,50 €**		
5200 g	50 mg	± 100 mg	**LB5200**	**466,65 €**		
6500 g	50 mg	± 100 mg	**LB9017**	**493,00 €**		
8000 g	50 mg	± 200 mg	**LB9018**	**508,30 €**		
10000 g	50 mg	± 200 mg	**LB9022**	**508,30 €**		
12000 g	50 mg	± 200 mg	**LB1201**	**593,30 €**		
16000 g	80 mg	± 300 mg	**LB1601**	**593,30 €**		
20000 g	100 mg	± 400 mg	**LB2002**	**670,65 €**		

* Backlight LCD Display, High resolution load cell weighing system, Under hook weighing, Dimensions 345x215xh100 (155) mm, Power supply 110-230Vac, 50-60 Hz, Output 9V, Net weight: 3,5 Kg

BEL Tablet system: expands the capabilities of your BEL precision balance

LB6435 Bluetooth tablet **790,00 €**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

Key Features

- Ideal for microfiltration and quick spin-downs
- Easy-to-use with dual start/stop function
- 7000rpm fixed speed
- Compatible with 2mLx8 and PCR8x2 rotors
- Quiet running, noise level ≤45dB
- Rotor change without tools
- Accelerates and brakes in seconds
- Available in two colors i.e., green, blue

Delivered complete with 1 rotor for 8 x 1,5/2 ml microtubes and 1 rotor for 2 x 8 strip 0,2 ml microtubes

Speed	7000 RPM	
Accelaration	2680g	
Noise	<45 dB	
Dim./ Weight	150x150xh117 mm / 0,5 kg	
Power	100-240V, 50-60 Hz	
Microcentrifuge	**HB1015**	**175,00 €**
Blue or green	**HB1018**	**175,00 €**

Key Features

- Special multi-flow air cooling design with patent ensures fast cooling of the rotor and low energy consumption
- Temperature display appropriate for gentle handling of sensitive samples
- Three-layer sealed rotor accidental leakage during centrifugal process allowing risk-free microbial contamination
- High strength aluminum alloy rotor can be fully autoclaved for unlimited service life

Delivered complete with 1 rotor for 24 x 1,5/2 ml microtubes

Speed	15000 RPM	
Acceleration	21380g	
Noise	<54 dB	
Dim./ Weight	280x364xh266 mm / 12 kg	
Power	100-240V, 50-60 Hz	
Microcentrifuge	**DG2010**	**1.496,25 €**

VILBER
Smart Imaging

PROMO 3.450,00 €

NEW!

UV documentation system new Doc-Print CX3

- No PC required and small footprint
- **3 to 20 millions pixels 16 bits camera**
- Images saved on **USB key** (USB-3)
- Very large 12.6'' touch screen display
- Very easy and robust handling
- Delivered with **Vision-Capt software** (image treatement, MW, densitometric analysis, colony counting,…)
- Optional Mitsubishi B/W P95DE– Printer (999,00 €)

Doc-Print from 3.450,00 €uros

Thermal Paper for B/W SONY and MITSUBISHI Printers

- **K65HM** thermal paper for Mitsubishi printer (4 rolls) **price ex VAT: 98,66 Euros**
- **UPP110-HD** thermal paper for Sony printer (10 rolls) **price ex VAT: 216 Euros**
- **UPP110-HG** Glossy thermal paper for Sony printer (10 rolls) **price ex VAT: 216,00 Euros**

Price ex VAT

Power supply **EV2000 series**

- Suitable for most applications such as larger tanks or multiple smaller tanks.
- 4 Outputs.
- 4 Operating modes (Simple, 9x9 Method Programming Mode, Voltage Ramp Mode, Timer Mode).
- Graphical LCD display
- **3 years warranty**

	EV2310	
Voltage	0...300V	
Current	0...1000 mA	
Power	0...150W	
Data-logging	3600 datas	
Dim./Weight	240x200xh130 mm/ 6 kg	
Power	210-250 VAC, 50-60 Hz	
Power Supply	**EV2310**	**607,00 €**

NEW! UV and Blue light Tables

1

2

SuperBright filter stops all the visible light emitted

3

UV & Blue Light Tables	Promo Price
ECX-F20.V1 Blue table - LED (1) 20x20 cm	**980,00 €**
TCP-26LM 365/312 nm UV table (2) 21x26 cm	**1.100,00 €**
ECX-F26.MX SuperBright 312 nm (3) 21x26 cm	**990,00 €**
Replacement UV tubes	
T8M 8W 312 nm tube	**29,33 €**

MultiSUB MIDI horizontal gel

- Available with 10 x 7 cm or 10 x 10 cm gel trays.
- Run up to 100 samples
- Low buffer volume
- Ideal for rapid electrophoresis
- 300 ml buffer volume
- Unit dimensions: 12,5x22x9cm

MIDI Horizontal gel	
MSMIDI7 MultiSUB Midi, 10x7cm UV tray, 2x16 sample combs (1mm), loading guide and dams	**365,00 €**
MSMIDI10 MultiSUB Midi, 10x10cm UV tray, 2x16 sample combs (1mm), loading guide and dams	**365,00 €**
Compatible with EV2310 CONSORT Power Supply	

Other horizontal gel sizes available just enquire!

Mini Electrophoresis System with integrated power supply.

-Specialy designed for DNA and RNA electrophoresis.

- Compact, lightweight and easy to operate.
- Output power DC35V/ DC50V/DC100V.
- A magnetic sensor on the lid cuts off current when open.

- Delivered complete with 4 combs and 2 gel rigs (1 for 2 gels 110x60 mm and 1 for 4 gels 54x60 m)

	MINI-ES	
Bath dim./ Vol.	110x121xh43 mm / 230 ml	
Max Power	40W	
Timer	1...99 min.	
Deliv. combs	1x22wells(4-8µl); 1x12wells(8-12µl) 1x18wells(4-8µl); 1x10wells (8-12 µl)	
Ext. dimensions	190x130xh60 mm	
Power	230V –50/60 Hz	
MINI-ES	**LN1300**	**358,00 €**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

CERTOCLAV
Since 50 years.

Classic 18 l **autoclave**

FEATURES

- One of the lowest cost solutions for reliable sterilisation and material testing up to 140°C/ 2,7 bar.
- Ultra-low maintenance autoclave with time tested technology
- Precision valve 115°C/121°C guarantee that the required pressure and temperature for sterilisation are reached
- Thermostat for heat regulation as well as timer switch (5-60 minutes, permanent on) and Thermometer included



Optional wire basket



Instrument tray included

Temperature	+115°C or +121°C	
Max. Pressure	2,7 bar	
Int. Dimensions	Ø260 x h350 mm	
Power	1900W	
Ext. Dim./Weight	440x400xh600 mm/ 10 kg	
Power	230V, 50-60 Hz	
18 Liters Autoclave	**PB1610**	**2.300,00 €**
Wire basket (1)	**PB1616**	**158,90 €**

Phoenix II eco Safety Bunsen Burner

FEATURES

- Start/stop flame by foot-switch or press button by hand (ON/OFF)
- Low-cost model
- Best suited for microbiological safety cabinets
- DIN30665
- Suitable for Natural Gaz as well as Butane/Propane
- Overheat protection
- Large choice of accessories



Electronic Bunsen Burner	Promo Price
ST6000 Phoenix II eco Bunsen Burner with foot switch	**450,00 €**
Adapters incl. pressure reducer for Butane cartridges	
ST6100 Adapter for CV360 cartridge	**128,00 €**
ST6101 Adapter for C206 cartridge	**140,00 €**
Optional Safety Accessories	
ST6104 Flame shield Stainless steel (1)	**47,40 €**
ST6105 Instrument tray (2)	**52,00 €**

Bacteria **Incinerator**

FEATURES

- Quartz incinerator tube, with electric element and thermally isolated with ceramic fibre.
- External grid made of stainless steel for protection.
- Epoxy resin oven painted base. Start up pilot-light.
- Sterilization obtained by means of infrared rays.
- The complete sterilization is achieved at 850°C in a few seconds



Sterilisation temperature	+850°C	
Cylindre dimensions	Ø15x145 mm	
Orb. Diam.	4,5 mm	
Power	100W	
Dim. / Weight	95x190x180 mm/1,5 Kg	
Bacteria Incinerator	**BAT850**	**627,00 €**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

pHep®4 Waterproof **pH/°C Tester**

Delivered complete with replaceable pH electrode and tool.

-Float if accidentaly dropped in tank

-Automatic temperature compensation

- Stability indicator

- Battery error prevention system

	pH tester	
pH	-2,0 to +16,0 pH (+/-0,1pH)	
pH calibration	Auto 1 or 2 points	
Temperature	0°C - +60°C with ATC	
Dim./Weight	163x40x26 mm/ 100 g	
pH Tester	**APH127**	**84,00 €**
Replacement electrode	**APH140**	**71,55 €**

pH/mV/°C– METER Edge®pad

Delivered complete with digital pH/Temp electrode, calibration and cleaning solutions, cradle, electrode holder and wall mount

-Sensor Check function

-Automatic temperature compensation

- Large easy to read 5,5" LCD display

- 2 USB ports

	pH/mV/°C-meter	
pH	-2,00 to +16,00 pH (+/-0,01pH)	
pH calibration	Auto max. 5 points	
Redox	+/-2000 mV (+/-0,1%)	
Temperature	-20°C-+120°C with ATC	
Data storage	1000 data (incl. GLP)	
Dim./Weight	202x140x12.7 mm/ 250g	
pH/mV/°C	**APH9060**	**384,00 €**
Ph/°C sensor	**AH1060**	**148,20 €**

Affordable field **pH/mV/°C– METER**

PROMO 238,00 €

-Delivered complete in a case with pH/Temp electrode, calibration solutions : pH 4,00-7,00-10,01 and batteries.

-IP57

-Automatic temperature compensation

-LCD backlit display

	pH/mV/°C-meter	
pH	-2,00 to +19,99 pH (+/-0,01pH)	
Redox	+/-1999 mV (+/-0,1%)	
Temperature	0°C - +100°C	
Data storage	200 groups of data	
Dim./Weight	65x120xh31 mm/ 180 g	
pH/mV/°C	**APH450**	**238,00 €**
Replacement pH electrode	**APH101**	**88,50 €**

20 ml Calibration individual **bags**

-Color coded label for easy pH buffer value identification

-Accuracy of +/-0.01 pH @ 25°C

- Temperature chart of actual pH value at various temperature printed on each bag

pH @ 25°C	Reference		Promo Price
Standard pH calibration solutions			
4,01 pH	**NR1110**	25 bags	**26,00 €**
7,01 pH	**NR1111**	25 bags	**26,00 €**
10,01 pH	**NR1112**	25 bags	**26,00 €**
Standard pH calibration solutions with certificate			
4,01 pH	**NR1120**	25 bags	**30,30 €**
7,01 pH	**NR1121**	25 bags	**30,30 €**
10,01 pH	**NR1122**	25 bags	**30,30 €**

Price ex VAT

Fully autoclavable **MICROPIPETTE PLUS**

Key Features

- Fully autoclavable
- Ergonomic design provides excellent operating experience
- Easy-to-read volume display
- The pipettes cover the volume range from 0.1µL to 5mL
- Easy calibration and maintenance
- Manufactured from innovative materials
- Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655

Capacity	Increment	Exact.	Precis.	Reference	Promo price
0,1– 2,5 µl	0,05 µl	±12%	±6%	**DG1200**	**119,00 €**
2,0– 20 µl	0,50 µl	±3%	±2%	**DG1202**	**119,00 €**
20-200 µl	1,00 µl	±3%	±1%	**DG1205**	**119,00 €**
200-1000 µl	5,00 µl	±0,9%	±0,3%	**DG1208**	**119,00 €**
1000-5000 µl	50,00 µl	±0,7%	±0,3%	**DG1209**	**119,00 €**

LEVO PLUS digital pipettor

Key Features

- Compatible with most of the plastic and glass pipettes from 0.1 -100mL
- Eight speeds of selection for aspiration and dispensing different liquids
- Large LCD display showing low battery warning and speed settings
- Enables single-handed operation with minimum effort
- Light and ergonomic design providing easy usability
- High capacity Li-ion battery enable long runtime of operation
- Powerful pump fills a 25mL pipette

PK1300 Levo Plus Pipettor delivered complete with rechargeable battery, charger, 2 positions stand, 0,45 µm filter
Promo price : 237,60 €

PROMO 99,00€

Color coded micropipettes

- Calibration as per DIN12650 & ISO 8655 standards
- CE IVD Compliant
- Autoclavable lower assembly
- Two step plunger operation allows for reverse pipetting techniques
- Calibration report enclosed with every pipette
- Color coded for easy identification

Capacity	Increment	Exact.	Color	Reference	Promo price
0,1– 2,5 µl	0,01 µl	±12%	Pink	**AC2003**	**99,00 €**
2,0– 20 µl	1,00 µl	±3%	Pink	**AC2002**	**99,00 €**
20-200 µl	1,00 µl	±2%	Violet	**AC2020**	**99,00 €**
200-1000 µl	5,00 µl	±0,9%	Orange	**AC2200**	**99,00 €**
1000-5000 µl	50,00 µl	±0,8%	Green	**AC2500**	**99,00 €**
Stand for 6 micropipettes				**ACS6**	**48,50 €**

Pipette controller

Accumax

- Powerful pump: 25 ml/ 4sec.
- 2 aspiration speeds
- 3 dispensing speeds: High, Low or Gravity
- Low battery indicator
- Safety valve and hydrophobic filter to prevent fluid penetration
- Batteries are easy to change by end user
- Delivered with wall Mounting as well as Desktop stand.

Compatibility	0,1 to 200 ml Pipettes	
Hydrophobic PTFE filter included (2)	0,2 µm and 0,45 µm	
Power	2x1.2V/1000 mAh rechargeable NiMH batteries (2-3 h)	
Battery autonomy	8 hours	
Pipettor	**Pipkey800**	**190,00 €**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium **Tel. 069/580004 Fax. 069/580005 info@proxylab.be**

16

SAFEVAC vaccum aspiration system

PROMO
718,00 €

Key Features

- Vacuum power can be set to different levels to achieve 1ml/s to 17ml/s aspiration speed
- Sensitive level sensor to prevent liquid overflow during operation
- Fully autoclavable waste collection bottle, tubing and handle
- Lid, tubing and handle are easy for disassembling, cleaning and autoclaving
- Wide range of adapters to fit tube, microplate and disk plate for various tasks
- Delivered with aspiration tip and 8 channel adapter

Vaccum	**1 to 400 mbar**	
Aspiration speed	1 to 17 ml/sec.	
Vaccum bottle capacity	4000 ml	
Dim./ Weight	180x240xh450 mm / 3 kg	
Power	230V - 50Hz	
Aspiration system	**LM2180**	**718,00 €**

ORDERING INFORMATION

PLEASE FORWARD YOUR ORDERS OR QUESTIONS TO:
info@proxylab.be

OUR ADDRESS:

PROXYLAB
Rue du Bosquet 8
B-7970 Beloeil
Belgium

Tel: ++32/69/580004
Fax: ++32/69/580005
VAT: BE 465 656 913
WWW.PROXYLAB.BE