

PROMO

Benelux edition



Proxylab


1-3. Cryogenics
4-5. **Ibidi** cell culture and microscopy
6-8. **DLab** Magnetic stirrers, Vortex, Shakers
& Centrifuges

9. Waterbaths
9-10. Molecular Biology: Electrophoresis, UV apparatus, PCR,...
11. pH meters and calibration
12. Pipetting and liquid handling

μCryo™

High quality cardboard cryoboxes made in Belgium

DESCRIPTION	DIMENSIONS	REF	€
Cardboard cryobox (1)	130x130x50 mm	PL1	2,07
Cardboard cryobox (1)	130x130x75 mm	PL2	2,34
Cardboard cryobox (1)	130x130x90 mm	PL7	2,88




DESCRIPTION	REF	€
Dividers 10x10, microtubes max diam. 12 mm (2)	PL3	1,49
Dividers 9x9, microtubes max diam. 13 mm (2)	PL4	1,46
Dividers 8x8, microtubes max diam. 14 mm (2)	PL5	1,39
Dividers 7x7, microtubes max diam. 16 mm (2)	PL6	1,39



PL14C Eco-pack of 50 cardboard cryoboxes
130x130x50mm with 9x9 divider for 1,5/2 ml tubes (max
diam.13 mm)

Promo price: 149,00 Euros or 2,98 Euros/box !

PROMO
2,98 €/box



A Polypropylene box for all kind of tubes

PB50SP eco-pack of 50 Polypropylene cryoboxes for 81
1,5/2ml tubes 5 assorted fluo colors with alphanumerical
coding


Promo price: 215,00 Euros or 4,30 Euros/box!

**Best
Seller**

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be



Polypropylene boxes for 196 **0,2 ml** PCR® tubes 5 colors (dim. 130x130x30 mm)

B30 (natural, blue, green, red or yellow) Price 6,77 Euros



Polypropylene boxes for 100 **0,5 ml** tubes 5 colors (dim. 130x130x50 mm)

B51 (natural, blue, green, red or yellow) Price 6,26 Euros



Polypropylene boxes for 25 Falcon® **15 ml** tubes 5 colors (dim. 130x130x 125 mm)

B25 (natural, blue, green, red or yellow) Price 10,71 Euros



Polypropylene Boxes for 10 Falcon® **50 ml** tubes 5 colors (dim. 130x130x 125 mm)

B20 (natural, blue, green, red or yellow) Price 10,32 Euros



label size

32.5 x 13mm

label size

20 x 6mm

Cryolabels for cryotubes

-90°C to +100°C



BP1310 Pink labels 20x6 mm, rol of 1000 labels Price 42,70 €

BP1312 Yellow labels 32x13 mm, rol of 1000 labels Price 42,70 €

RTP/100T White Labels for LASER printers 33x13 mm (1980 labels) or

RTP/101T Idem 25x13 mm (2016 labels) Price 59,90 Euros



Stainless steel racks for chest freezers

E509 Stainless steel rack for 9 boxes 5 cm H. Dim. 140x140x500 mm **Promo price: 74,63 €**
E510 Stainless steel rack for 10 boxes 5 cm H. Dim. 140x140x550 mm **Promo price: 76,56 €**
E511 Stainless steel rack for 11 boxes 5 cm H. dim. 140x140x610 mm **Promo price: 77,22 €**
E512 Stainless steel rack for 12 boxes 5 cm H. dim. 140x140x665 mm **Promo price: 83,72 €**

E708 Stainless steel rack for 8 boxes 7,5 cm H. dim. 140x140x645 mm **Promo price: 74,63 €**

E906 Stainless steel rack for 9 boxes 9,5 cm H. dim. 140x140x600 mm **Promo price: 96,69 €**

Stainless steel racks for upright freezers

E544 Stainless steel rack for 4x4 boxes 5 cm H. Dim. 560x223x140 mm **Promo price: 121,29 €**
E545 Stainless steel rack for 4x5 boxes 5 cm H. Dim. 560x277x140 mm **Promo price: 145,81 €**

OTHER SIZES ON REQUEST

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be



EPPI sterile cryotubes for storage in LN₂

- ◆ Manufactured in accordance with ISO 13485, ISO 9001, ISO 14001
- ◆ **Produced to GMP guidelines in a cleanroom**
- ◆ Produced from FDA approved polypropylene with usable range from -196°C to +121°C
- ◆ Not cytotoxic according to ISO 10993-5
- ◆ RNase-DNase free; Heavy metal free; DNA-ATP-BSE/TPE-Pyrogen free
- ◆ **Sterilized to ISO 11137-2:2013**
- ◆ **17000 g centrifugable**



Leak proof due to lip seal cap design, Cap and tube made of high quality PP, self-standing with star foot, graduation and writing area, color inserts also available

Capacity	Height	Packing unit	Reference	Promo price
0,5 ml	28,5 mm	2 x 500	EPPI0	231,00 €
1,0 ml	36,1 mm	10x100	EPPI1	231,00 €
2,0 ml	47,6 mm	10x100	EPPI2	231,00 €
4,0 ml	73,2 mm	5x100	EPPI4	115,00 €
5,0 ml	88,5 mm	5x100	EPPI5	115,00 €



PL91 Cardboard cryobox for Falcon 15 ml centrifuge tube, 5x5 places

Promo price: 14,90 Euros

PROMO
14,90 €/box



Cryo-gloves EN511: X22

CE

BP1360 Mid sized cryo-gloves, for women, length 360 mm

Promo price: 199,00 Euros

BP1380 Mid sized cryo-gloves, for men, , length 380 mm

Promo price: 199,00 Euros

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be

**Best
Seller**



**POLYMER
COVERSLIP**

A CHAMBERED COVERSIP WITH 8 INDIVIDUAL WELLS AND HIGH WALLS FOR CELL CULTURE, IMMUNOFLUORESCENCE, AND HIGH-END MICROSCOPY

- ✦ All-in-one 8 well chamber slide for cost-effective experiments with small cell numbers and low reagent volumes
- ✦ High-resolution imaging through No. 1.5 polymer coverslip bottom with the highest optical quality
- ✦ Suitable for various microscopy techniques (e.g., DIC, widefield fluorescence, confocal microscopy, two-photon microscopy, FRAP, FRET, FLIM, and LSM)
- ✦ Extra high individual walls to keep cross contamination between wells as low as possible

80806 μ -slide 8 Well high ibitreat: #1.5 polymer coverslip, tissue culture treated, sterilized (15 pcs) **Price ex VAT: 178,00 €**

A 35 MM IMAGING DISH WITH AN IBIDI POLYMER COVERSIP BOTTOM, USED IN HIGH END MICROSCOPY AND CELL-BASED ASSAYS



**POLYMER
COVERSLIP**

- High walls with a standard height for easy handling
- Unique **ibidi Polymer Coverslip** combining
- Excellent cell culture conditions and
- Supreme optical quality for high resolution microscopy
- Ideal cell growth conditions provided by the **ibiTreat** surface
- Lid with lock position, which minimizes evaporation
- Suitable for DIC, when used with the special **DIC Lid**
- Also available with a **grid** for cell location and counting

81156 μ -Dish 35 mm, high ibiTreat: Ø 35 mm, high wall (2 ml volume), # 1.5 polymer coverslip, tissue culture treated, sterilized (60 pcs) **Price ex VAT: 246,00 €**



2 WELL SILICONE INSERT WITH A DEFINED CELL-FREE GAP, SUITABLE FOR WOUND HEALING, MIGRATION ASSAYS, 2D INVASION ASSAYS, AND CO-CULTIVATION OF CELLS

- Complete solution for wound healing experiments, requiring only a few steps from sample preparation to image analysis
- Reproducible experiments owing to: a defined 500 μ m cell free gap, no leakage during cultivation, and no material being left behind after the insert's removal
- 25 pieces in a transport dish
- Used for self-insertion into 6 or 12 well plates, or other formats

80209 25 Culture-inserts 2 Well for self-insertion: in a 10 cm transport dish, sterilized **Price ex VAT: 156,00 €**

STOCK UP YOU LAB!

Save money with the ibidi bulk packs



Cat. No.	Description	Pcs./Box	Price
80806-90	μ-Slide 8 Well high ibiTreat: #1.5 polymer coverslip, tissue culture treated, sterilized	90	907,00 €
80807-90	μ-Slide 8 Well high Glass Bottom: # 1.5H (170 μm +/- 5 μm) D 263 M Schott glass, sterilized	90	1.249,00 €
80606-90	μ-Slide VI^{0.4} ibiTreat: #1.5 polymer coverslip, tissue culture treated, sterilized	90	1.285,00 €
81156-400	μ-Dish^{35 mm, high} ibiTreat: Ø 35 mm, high wall (2 ml volume), #1.5 polymer coverslip, tissue culture treated, sterilized	400	1.393,00 €
81158-400	μ-Dish^{35 mm, high} Glass Bottom: Ø 35 mm, high wall (2 ml volume), # 1.5H (170 μm +/- 5 μm) D 263 M Schott glass, sterilized	400	1.478,00 €
80209-150	25 Culture-Inserts 2 Well for self-insertion: in a 10 cm transport dish, sterilized	6x25	795,00 €

High Quality Reagents for Live Cell Analysis

Collagen Type I, Rat Tail for 3D Cell Culture

- A non-pepsinized, native collagen solution with the highest quality grade
- Provides biological extracellular matrix (ECM) structures
- For use in various cell culture applications (e.g., 3D gels, scaffolds, and coating)



50201 Collagen Type I, rat tail 5mg/ml, 1x5 ml: non-pepsinized Price ex VAT: 188,00 €

50202 Collagen Type I, rat tail, 5 mg/ml, 4x5 ml: non-pepsinized Price ex VAT: 525,00 €

50203 Collagen Type I, rat tail, 5 mg/ml, 1x100 ml: non-pepsinized Price ex VAT: 2.250,00 €

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be

max. capacity

800 ml

**Key Features**

- A wide range of speed from 15 to 1500rpm
- Automatic reverse rotation for excellent mixing
- Protection class (IP65)
- PET top provides excellent chemical resistance
- Ultra silence

capacity	800 ml	
Surf. dim	90x90 mm	
Speed	15-1500 RPM	
Protection	IP65	
Dim./ Weight	175x120xh15 mm/ 300 g	
Power	100-240V, 50-60 Hz	
Stirrer	AG102	139,00 €

ECOSTIR economical magnetic stirrer with electrode holder

Key Features

- Maintenance free brushless DC motor
- Rare earth magnets give powerful stirring
- Stepless speed regulation 300-2000rpm
- Ultra silence and vibration-free design.
- PET top provides excellent chemical resistance
- Shaft can be fitted with a PH sensor or sensors for other purposes

max. capacity

1,5 liters


PROMO
66,00 €


capacity	1,5 liters	
Surf. dim	Diam. 120 mm	
Speed	300-2000 RPM	
Protection	IP21	
Dim./ Weight	150x145x50 mm/ 300 g	
Power	100-240V, 50-60 Hz	
Stirrer	AG50	66,00 €

ROTATOR variable speed**Key Features**

- Provides gentle but effective rolling
- Adjustable speed range from 0 to 80 rpm

**Delivered with 36 clamps**

12 clamps for 1,5 ml tubes
 12 clamps for 15 ml tubes
 12 clamps for 50 ml tubes



Speed	0-80 RPM	
Protection	IP21	
Dim./ Weight	200x300xh310 mm/ 2 kg	
Power	100-240V, 50-60 Hz	
Mixer	ROX110	264,00 €

Key Features

- Digital temperature control with max. temperature up to 280°C
- Digital speed control with max. speed up to 1500rpm
- Stainless steel work plate with ceramic coating provides good chemical resistant performance
- External temperature control is possible by connecting the temperature sensor (PT1000) with an accuracy at $\pm 0.5^\circ\text{C}$
- LED display shows temperature and speed
- The "HOT" warning will flash when the work plate temperature is above 50°C even if the hotplate is turned off

Digital **magnetic** hotplate stirrer
Pt1000
Included

max. capacity

3 liters

max. temp.

+280°C

capacity	3 liters	
Surf. dim	Diam. 135 mm	
Speed	100-1500 RPM	
Heating output	515 W	
Protection	IP21	
Dim./Weight	150x260xh85 mm/ 1,8 kg	
Power	100-240V, 50-60 Hz	
Stirrer	AG200	264,00 €
Pt1000 support clamp	AG818	51,10 €

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be

Rocking and rolling **TUBE ROLLER**



Key Features

- Speed range of 10-70rpm
- Six roller design for gentle rolling and easy to clean

Speed	10-70 RPM
Roller lenght	340 mm
Amplitude	24 mm
Protection	IP21
Dim./ Weight	260x530xh120 mm / 5 kg
Power	100-240V, 50-60 Hz
Roller	ROL610 267,00 €


MS-H-PRO+ Digital hotplate stirrer **incl. Pt1000 sensor**

max. capacity

20 liters

max. temp.

+340°C



Pt1000 Included

Key Features

- Brushless DC motor is maintenance free and explosion-proof
- Digital temperature control with max. temperature at 340°C
- Digital speed control with max. speed up to 1500rpm
- Max. stirring quantity of H₂O at 20L
- Safety circuits provide overheating protection
- The "HOT" warning will flash if the plate temperature is above 50°C even when the hotplate is turned off
- High-resolution LCD display shows actual temperatures and speed
- External temperature control is possible by connecting the temperature sensor (PT 1000) with accuracy at $\pm 0.2^{\circ}\text{C}$
- Stainless steel work plate with ceramic coating provides good chemical-resistant performance
- Remote function provides PC control and data transmission

capacity	20 liters	
Surf. dim	Diam. 135 mm	
Speed	100-1500 RPM	
Heating output	500 W	
Protection	IP42	
Dim./Weight	160x280xh85 mm/ 2,8 kg	
Power	100-240V, 50-60 Hz	
Stirrer	AG801	614,00 €
Pt1000 support clamp	AG817	50,00 €



Key Features

- Touch operation or continuous mode
- Variable speed control from 0 to 2500rpm
- Used for various mixing applications with optional adapters
- Specially designed vacuum suction feet for body stability
- Robust aluminum-cast construction

Speed	0-2500 RPM
Weight	3,5 kg
Orb. Diam.	4 mm
Protection	IP21
Dim.	127x130xh160 mm
Power	100-240V, 50-60 Hz
Vortex	VTX500 149,00 €

Support & inserts as option



support / inserts	reference	Price
top plate Ø100	VTX510 [1]	21,00 €
8 tubes 20 mm	VTX515 [2]	13,00 €
8 tubes 16 mm	VTX514 [3]	13,00 €
12 tubes 12 mm	VTX513	13,00 €
18 tubes 10 mm	VTX512 [4]	13,00 €
48 µtubes PCR	VTX511 [5]	20,00 €
pad Ø100 mm	VTX516 [6]	7,00 €

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be

8

PROMO
128,00 €

Key Features

- Ideal for microfiltration and quick spin-downs
- Easy-to-use with dual start/stop function
- 7000rpm fixed speed
- Compatible with 2mLx8 and PCR8x2 rotors
- Quiet running, noise level ≤45dB
- Rotor change without tools
- Accelerates and brakes in seconds
- Available in two colors i.e., green, blue

Delivered complete rotor for 8 x 1,5/2 ml microtubes and 1 rotor for 2 x 8 strip 0,2 ml microtube

Speed	7000 RPM	
Acceleration	2680g	
Noise	<45 dB	
Dim./ Weight	150x150xh117 mm / 0,5 kg	
Power	100-240V, 50-60 Hz	
Microcentrifuge Blue or green	HB1015	128,00 €
	HB1018	128,00 €

PROMO
914,00 €
ORBITAL shaker including universal platform with 4 fixation rods

Platform dim.
300 x 285 mm
max. load
7,5 kg
Key Features

- Max. load capacity is 7.5kg with platform
- Double LCDs for independent display of time and speed
- Wide range of platforms for use with a variety of vessels
- Maintenance- free brushless DC motor
- Over speed detection and protection

Speed	100-350 RPM	
Amplitude	10 mm	
Max load capacity	7,5 kg	
Protection	IP21	
Dim./ Weight	370x420xh100 mm / 13,5 kg	
Power	100-240V, 50-60 Hz	
Orbital shaker	MX650	914,00 €

MICROCENTRIFUGES

Not refrigerated
Key Features

- Special multi-flow air cooling design with patent ensures fast cooling of the rotor and low energy consumption
- Temperature display appropriate for gentle handling of sensitive samples
- Three-layer sealed rotor accidental leakage during centrifugal process allowing risk-free microbial contamination
- High strength aluminum alloy rotor can be fully autoclaved for unlimited service life


Delivered complete with 1 rotor for 24 (DG2010) or 32 (DG3100) x 1,5/2 ml microtubes and cover
Refrigerated
Key Features

- Pre-cooling program ensures optimal protection of the sample before warming
- Guaranteed 7°C cooling within only 7 minutes of both chamber and samples even at maximum speed and capacity utilization
- Sound-alert allows your undivided attention on other tasks warming
- Lid lock facility allows for internal temperature maintenance even after centrifugation
- Intermittent temperature control mode, CFC-free refrigerant and low carbon life rotor capacity
- Three-layer sealed rotor accidental leakage during centrifugal process allowing risk-free microbial contamination
- High strength aluminum alloy rotor can be fully autoclaved for unlimited service life
- Four rotors are optional complete with 24 place 1.5/2.0mL tubes, bigger 5.0mL, smaller 0.2mL and 0.5mL tubes with the use of adapters
- Quiet running, noise level ≤ 56dB



Speed	15000 RPM		15000 RPM	
Acceleration	21380g		21380g	
Temperature			-20°C to ambient	
Noise	<54 dB		<56 dB	
Dim./ Weight	280x364xh266 mm / 12 kg		382x553x283 mm/ 30 kg	
Power	100-240V, 50-60 Hz		100-240V, 50-60 Hz	
Microcentrifuge	DG2010	1.826,00 €	DG3100	3.190,00 €

KEY FEATURES

- Displays actual and set point temperature simultaneously
- Three push-button pre-sets for frequently used temperatures
- Integrated timer
- Hinged gable cover
- Calibration capability (1 point)
- Reservoir made of 304 Stainless Steel
- Reservoir drain (10 to 28 L)
- Primary and automatic safety thermostats
- Also compatible with waterless bath beads



REA-STABIL

- ◆ Disinfectant agent for waterbath
- ◆ Prevent from bacterial or fungal proliferation
- ◆ **Water colored in blue** when agent is active
- ◆ Biodegradable and non toxic
- ◆ Cost effective: 1 ml per liter



REA-STABIL Disinfectant agent 200 ml price 59,00 Euros

Volume	5 Liters	10 Liters	20 Liters	28 Liters
Temperature	Ambient+5°C-+ 99°C	Ambient+5°C-+ 99°C	Ambient+5°C-+ 99°C	Ambient+5°C-+ 99°C
Homogeneity	+/-0,2°C	+/-0,2°C	+/-0,2°C	+/-0,2°C
Reservoir drain	No	Yes	Yes	Yes
Int. Dim.	127x274xp152 mm	269x295xp152 mm	241x432xp152 mm	241x432xp203 mm
Ext. Dim./ Weight	368x305xh267 mm /6 kg	393x432xh305 mm/10 kg	572x445xh305 mm/11 kg	415x546xh358 mm/13 kg
Power	360W	1000W	1400W	1400W
Waterbath	BM1305 978,00 €	BM1310 1.146,00 €	BM1320 1.377,00 €	BM1328 1.447,00 €

UV and Blue light Tables



SuperBright filter stops all the visible light

UV & Blue Light Tables			Promo Price
ECX-F20.V1 Blue table - LED (1)	20x20 cm		980,00 €
TCP-26LM 365/312 nm UV table (2)	21x26 cm		1.100,00 €
ECX-F26.MX SuperBright 312 nm (3)	21x26 cm		990,00 €
Replacement UV tubes			
T8M	8W	312 nm tube	29,33 €

Thermal Paper for B/W SONY and MITSUBISHI Printers

- ◆ **K65HM** thermal paper for Mitsubishi printer (4 rolls) **price ex VAT: 98,66 Euros**
- ◆ **UPP110-HD** thermal paper for Sony printer (10 rolls) **price ex VAT: 216 Euros**
- ◆ **UPP110-HG** Glossy thermal paper for Sony printer (10 rolls) **price ex VAT: 216,00 Euros**



Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be

MultiSUB CHOICE horizontal gel



- ◆ Available with 15x10 cm or 15x15 cm gel trays.
- ◆ Run up to 210 samples
- ◆ Low buffer volume
- ◆ 500 ml buffer volume
- ◆ Unit dimensions: 17,5x26,5x9cm
- ◆ Multichannel pipette compatible combs

MAXI Horizontal gel

MSCHOICE10 MultiSUB Choice, 15x10cm UV tray, 2x20 sample combs (1mm), loading guide and dams **603,00 €**

MSCHOICE15 MultiSUB Choice, 15x15cm UV tray, 2x20 sample combs (1mm), loading guide and dams **603,00 €**

Mini Electrophoresis System with integrated power supply.


-Specially designed for DNA and RNA electrophoresis.

- Compact, lightweight and easy to operate.

- Output power DC35V/ DC50V/DC100V.

- A magnetic sensor on the lid cuts off current when open.

- Delivered complete with 4 combs and 2 gel rigs (1 for 2 gels 110x60 mm and 1 for 4 gels 54x60 mm)



	MINI-ES
Bath dim./ Vol.	110x121xh43 mm / 230 ml
Max Power	40W
Timer	1...99 min.
Deliv. combs	1x22wells(4-8µl); 1x12wells(8-12µl) 1x18wells(4-8µl); 1x10wells (8-12 µl)
Ext. dimensions	190x130xh60 mm
Power	230V -50/60 Hz
MINI-ES	LN1300 384,00 €


HCM100-PRO Thermo-cryo mixer for 0,2 to 50 ml tubes

Key Features

- Excellent mixing result
- Stable and wide range of speed adjustment
- Precise temperature control for heating and cooling
- Flexible adapter selection
- Programmable
- Compatible with various tubes
- Block equipped with a lid for heat preservation



Delivered with interchangeable magnetic block of your choice



Speed	300-1500 RPM
Temperature	Amb.-25°C to +110°C
Orb. Diam.	3 mm
Temp. Up/ Temp Down	5,5°C/min- 5°C/min
Dim./Weight	200x235xh120 mm/7,3 kg
Power	100-240V, 50-60 Hz
Mixer	DG1520 1.751,00 €

DG1501 Heating block used for 0,2ml/96 well PCR plate

DG1502 Heating block used for 96/384 microplate (1)

DG1503 Heating block used for 24 x 0,5 ml tubes (2)

DG1504 Heating block used for 24 x 1,5 ml tubes (3)

DG1505 Heating block used for 24 x 2 ml tubes (4)

DG1506 Heating block used for 8 x 5 ml tubes (5)

DG1507 Heating block used for 8 x 15 ml tubes (6)

DG1508 Heating block used for 4 x 50 ml tubes (7)

Best Seller

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be

pHep®4 Waterproof pH/°C Tester



Delivered complete with replaceable pH electrode and tool.

- Float if accidentally dropped in tank
- Automatic temperature compensation
- Stability indicator
- Battery error prevention system

	pH tester	
pH	-2,0 to +16,0 pH (+/-0,1pH)	
pH calibration	Auto 1 or 2 points	
Temperature	0°C - +60°C with ATC	
Dim./Weight	163x40x26 mm/ 100 g	
pH Tester	APH127	125,00 €
Replacement electrode	APH140	98,70 €

pH/mV/°C- METER Edge®pad



-Delivered complete with digital pH/Temp electrode, calibration and cleaning solutions, cradle, electrode holder and wall mount

-Sensor Check function

-Automatic temperature compensation

-Large easy to read 5,5" LCD display

-2 USB ports

	pH/mV/°C-meter	
pH	-2,00 to +16,00 pH (+/-0,01pH)	
pH calibration	Auto max. 5 points	
Redox	+/-2000 mV (+/-0,1%)	
Temperature	-20°C-+120°C with ATC	
Data storage	1000 data (incl. GLP)	
Dim./Weight	202x140x12.7 mm/ 250g	
pH/mV/°C	APH9060	537,00 €
Ph/°C sensor	AH1060	239,00 €

20 ml Calibration individual bags

-Color coded label for easy pH buffer value identification

-Accuracy of +/-0.01 pH @ 25°C

-Temperature chart of actual pH value at various temperature printed on each bag



pH @ 25°C	Reference	Promo Price
Standard pH calibration solutions		
4,01 pH	NR1110	25 bags 42,50 €
7,01 pH	NR1111	25 bags 42,50 €
10,01 pH	NR1112	25 bags 42,50 €
Standard pH calibration solutions with certificate		
4,01 pH	NR1120	25 bags 48,10 €
7,01 pH	NR1121	25 bags 48,10 €
10,01 pH	NR1122	25 bags 48,10 €

We provide replacement electrodes for many brands



CONTACT US!

Price ex VAT

PROXYLAB Rue du bosquet 8, 7970 Beloeil Belgium

Tel. 069/580004 Fax. 069/580005 info@proxylab.be

PROMO
195,00 €**Key Features**

- Compatible with most of the plastic and glass pipettes from 0.1 - 100mL
- Eight speeds of selection for aspiration and dispensing different liquids
- Large LCD display showing low battery warning and speed settings
- Enables single-handed operation with minimum effort



PK1300 Levo Plus Pipettor delivered complete with rechargeable battery, charger, 2 positions stand, 0,45 µm filter
Promo price : 195,00 €

ORDERING INFORMATION

PLEASE FORWARD YOUR ORDERS OR QUESTIONS TO:
info@proxylab.be

OUR ADDRESS:

PROXYLAB sprl
Rue du Bosquet 8
B-7970 Beloeil
Belgium

Tel: ++32/69/580004
Fax: ++32/69/580005
VAT: BE 465 656 913
WWW.PROXYLAB.BE

cells in focus
Temperature Control Solutions
Smart Imaging
instruments
SCIENTIFIC